

Reception (101)

- A. Custom built workstation
- B. Elkay LZS8WSSP | Enhanced EZH2O Bottle Filling Station | Filtered, Refrigerated, Stainless Steel

Women's Restroom (ADA) (103)

- A. Kohler Highline Commercial Flushometer Bowl, Kohler K-4309
- B. Sloan Royal Flushometer (or Regal), Sloan Royal 111-1.28 or 1.6 GPF
- C. Kohler Verticyl Undermount Sink (or similar commercial bowl), Kohler K-2882
Delta commercial 28C-series wall mount, 8" centers, 8–9" reach gooseneck
- D. Bradley 900 series Grab Bars, Tork Matic H1 stainless steel model 461002 paper towel dispenser.
- E. Bradley BX 755-024000 Stainless Steel Shelf (24"), Bradley 781 channel frame mirror,
Bradley 6562 Stainless Steel Soap Dispenser.
Uline double roll dispenser (toilet paper)

Shower Room (104)

- A. Adascape KBSS1816 Fold Down Stainless Shower Seat
Bradley Corporation 812 Series Grab Bars
- B. Kohler Verticyl Undermount Sink (or similar commercial bowl), Kohler K-2882
Delta commercial 28C-series wall mount, 8" centers, 8–9" reach gooseneck
- C. Tork Matic H1 stainless steel model 461002, paper towel dispenser
Bradley BX 755-024000 Stainless Steel Shelf (24"), Bradley 781 channel frame mirror,
Bradley 6562 Stainless Steel Soap Dispenser.

Men's Single Restroom (ADA) (106)

- A. Kohler Highline Commercial Flushometer Bowl, Kohler K-4309
- B. Sloan Royal Flushometer (or Regal), Sloan Royal 111-1.28 or 1.6 GPF
Kohler Verticyl Undermount Sink (or similar commercial bowl), Kohler K-2882
- C. Delta commercial 28C-series wall mount, 8" centers, 8–9" reach gooseneck
- D. Bradley BX 755-024000 Stainless Steel Shelf (24"), Bradley 781 channel frame mirror
- E. Bradley 6562 Stainless Steel Soap Dispenser
- F. Tork Matic H1 stainless steel model 461002 paper towel dispenser.
- G. Uline double roll dispenser (toilet paper) Bradley 900 series. Grab Bars

Lunchroom (108)

- A. Kohler Vault Drop-In Stainless Sink (K-3820, Delta Leland Pull-Down Kitchen Faucet (9178 / 978 series)
- B. Tork Matic H1 stainless steel model 461002, Paper towel Dispenser.
- C. Appliances are to be provided by owner and installed by contractor.

Men's Restroom (110)

- 3-Bradley 781 channel frame mirrors
- 3-Bradley 6562 Stainless Steel Soap Dispensers
- 3-Kohler Highline Commercial Flushometer Bowl, Kohler K-4309
- 3-Sloan Royal Flushometer (or Regal), Sloan Royal 111-1.28 or 1.6 GPF
- 3-Kohler High-Efficiency Urinal (0.5 GPF), Kohler Steward
- 3-Sloan Urinal Flush Valve (0.125–0.5 GPF), Sloan Royal
- 3-Kohler Verticyl Undermount Sink (or similar commercial bowl), Kohler K-2882
- 3- Delta commercial 28C-series wall mount, 8" centers, 8–9" reach gooseneck
- 2-Tork Matic H1 stainless steel model 461002(paper towel dispensers.
- 3-Uline double roll dispenser (toilet paper)
- 3 between wall kit bathroom stalls (ASI Global Phenolic wall partition)
- 3- ASI Phenolic Urinal Screen, 18" × 48"

Mechanical (112)

- A. GRIDMANN 30 Inch NSF Stainless Steel Prep and Utility Sink.
- B. Delta 28T9-AC Two Handle 8" Wall Mount Service Sink Faucet.

Shop (100)

Sani-Lav 54F1 40" x 20" Floor-Mounted Multi-Station Hands-Free Sink with (2) Foot-Operated 2.0 GPM Faucets

- 1- Tork Matic H1 stainless steel model 461002 (paper towel dispenser)
- 2- 6562 Stainless Steel Soap Dispenser

Interior Paint

Sherwin Williams

A: ProMar 200 HP

B: For metal surfaces (Pro Industrial DTM Acrylic)

Ceiling Tile

Armstrong Ceilings 2x2 Fissured White Mineral Fiber Drop Ceiling Tile Tegular Style

A: Armstong Prelude 15/16-in grid system.

Floor epoxy (office Building)

Penntek brand Hybrid (color to be determined later)

Oil Water/Separator

A: 1000 Gallon Oil Water/Separator to be traffic rated

SITE WORK

Furnish and Install 150' of 1" waterline. Tapping fees by others.

Furnish and Install 165' of 4" schedule 40 sewer pipe with a 1000-gallon **traffic rated** grease interceptor. Tapping fees by others.

All downspout drains do be placed into storm water manholes (2) using schedule 40 pipe. Quantities as follows:

300' of 8"

500' of 6"

26- 6" tees

26- Downspout adapters

Any other adapters to accomplish the job.

Grade and compact millings around new and existing buildings tying into existing grades. Millings to be supplied by owner.